



TECHNICAL DATA AND DIMENSION



TECHNICAL DATA						DIMENSIONS					
Model	Option	Product Code Option	Capacity (g/hr)	Rated Voltage (V)	Total Power Consumption	L1 (mm)	L2 (mm)	W1 (mm)	W2 (mm)	H1 (mm)	Weight (kg.)
OZG 1.5	INDOOR	OZGSET1P5G15NPD 00000	1.5	220 Vac.	0.5 kW+1.5kW	650	-	300	-	1,000	180
OZG 1.5	OUTDOOR	OZGSET1P5G15NPD 00001	1.5	220 Vac.	0.5 kW+1.5kW	650	-	300	-	1,000	180
OZG 5	INDOOR	OZGSET5P0G40NPD 00000	5	380Vac. 3P 4W	0.5 kW+1.7kW	650	-	300	-	1,000	200
OZG 5	OUTDOOR	OZGSET5P0G40NPD 00001	5	220 Vac.	0.5 kW	650	700	300	350	1,050	40
OZG 30	INDOOR	OZGSET300G40NPD 00000	30	380 Vac. 3P 4W	0.6 kW+2.1kW	1,100	-	900	-	1,200	200
OZG 30	OUTDOOR	OZGSET300G40NPD 00001	30	220 Vac.	0.6 kW	800	850	400	450	1,800	105
OZG 50	INDOOR	OZGSET500G50SP2 00000	50	220 Vac.	0.85 kW	800	850	400	450	1,800	110
OZG 50	OUTDOOR	OZGSET500G50SP2 00001	50	220 Vac.	0.85 kW	800	850	400	450	1,800	110

Note :

1. The product must be installed by skilled persons. All ineffective results will be caused by none professional installation.
2. Systems are comprised with ozone generator, oxygen generator, ozone mixing pump, monitoring and controller.

